- 2. Tender of defaulters to the Department will not be accepted and all trees marked for felling will be sold for lumpsum amount for the whole coupe.
 - 3. Each coupe or coupes in each State Forest must be tendered for separately.
- 4. Each tender must be accompanied by a sum of Rs. 50 as earnest money. Covers containing the tender should be addressed to the District Forest Officer, Chitaldurg, and should be duly registered, insured and superscribed "Tender for the Purchase of Kamara Trees for preparing Charcoal."
 - 5. The name and address of the tenderer must be clearly and fully given.
 - 6. Tenders will be opened by the District Forest Officer in the District Forest Office at 2 P.M. on
- 20th February 1939 in the presence of such of the tenderers as may be present.
- 7. The exclusive right of preparing and removing Kamara Charcoal above described will be disposed of to the highest tenderer subject to the confirmation of the Conservator of Forests who at his discretion may accept or reject the highest or any other tender without assigning any reason therefor. The deposits of unsuccessful tenders will be returned immediately.
- 8. Within three days of the receipt of notice of acceptance of the tender, the successful tenderer shall credit into the Government Treasury the full sale amount including the earnest money already paid together with local cess at 0-1-0, Railway Cess at 0-0-6 and Education Cess at 0-0-6 per rupee on the full sale amount. In default, the acceptance of the tender will be cancelled, the earnest money forfeited and the right resold. Such resale will be at the risk of the defaulting tenderer who will be liable to make good any loss that may result to Government thereby but will have no claim to any surplus accruing therefrom. Such loss will be recoverable as an arrear of Land Revenue under Section 79 of the Mysore Forest Act.
- 9. If the tender is not accepted by the authority concerned, all moneys paid will be refunded to the
- party.
- 10. Within 15 days of the intimation of confirmation of the sale, the successful tenderer shall execute an agreement on a stamped paper of the value of ten annas procured at his own cost and also furnish in respect of each coupe a security deposit of Rs. 50 or one-quarter of the sale amount whichever is less for the due fulfilment of the contract in the shape of Government Savings Bank deposit. In default either to execute the agreement or to furnish the required security or both, the contract will be cancelled, all the moneys already paid forfeited to Government and the right resold at the defaulter's risk.
 - 11. The following are the further conditions to which the contractor should bind himself:
 - (a) That he shall fell the trees purchased by him before the 30th June 1939.
 - (b) That he shall fell the trees purchased by him in a methodical manner from one side of the coupe, coppicing the stumps of the trees felled.
 - (c) That each consignment of charcoal shall be covered by a passport issued by the Range Officer or any other Officer deputed by the District Forest Officer in this behalf.
 - (d) That if any tree, shurb or growth reserved by the Department and not marked for felling is cut he shall pay a fine not exceeding Rs. 10 per tree.
 - (e) That he shall abide by the rules of the Department as regards the kindling of fire and shall hold himself responsible for any forest offence committed by hie employees or workmen.
 - (f) The the shall not sublet the contract to anybody except with the written sanction of the District Forest Officer.
 - (g) That he shall have no right whatsoever over the coupe and over the fuel or charcoal left unremoved in any of the coupes, after 30th June 1939.
 - (h) That he shall maintain a register in the form prescribed by the District Forest Officer showing the number of trees felled and the outturn of charcoal resulting therefrom and shall keepit open for the examination of the Forest Officers above the grade of guards.
 - (i) That for any breach of any of the conditions of the contract by the contractor or his agents, the contract shall be void at the option of the District Forest Officer and that the latter may, after issuing to the contractor a notice of the cancellation of the contract, enforce fork iture of all or any part of the deposit and shall resell the right or work it departmentally at the risk of the contractor. If the deposit or part thereof is so forfeited, it shall be immediately made good by the contractor.

L. Srinivasa Murti, District Forest Officer.

ENGINEERING DEPARTMENT

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 23rd January 1939.

The attention of the public is invited to the notification calling for tenders for constructing "Extensions to the Women's Intermediate College, Bangalore," on pages 202-204 of Part VI of the Mysore Gazette, dated 26th January 1939.

The last date for receiving the tender is 13th February 1939.

Notification dated 25th January 1939.

Notice is hereby given that scaled tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M., on 20th February 1939, for erecting Electric Lift in Old Public Offices, Bangalore (Building portion). An approximate estimate of quantities is

given below. These quantities are not guaranteed. The work should be completed by the end of March 1939.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, between the hours of 11 a.m. and 5 r.m.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees 150 (One hundred and fifty only) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Erecting Electric lift, Old Public Offices, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7: The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Detail of estimate for erecting Electric Lift in Old Public Offices, Bangalore.

No.	Particulars	Unit	Rate	Contents	Cost
	Ground Floor.		Rs. a. p.		Rs.
	didn't Probi.		105. a. p.		PoS
1	Removing burnt stone floor with concrete bed and				
,	carting	Sqr.	5 0 0	0.89	
2	Earthwork excavation, carting to halla, a distance of	, Dq1.	0.00	0 09	
	one mile	C.yd.	0 8 0	111	
3	Flooring with cement concrete 2" thick over 4"		(3)	2	
. 1	lime jelly concrete and cement plastering, etc.,		<i>b</i>	2	
	complete	Sqr.	25 0 0	0.89	
4	Burnt stone in lime mortar with exposed faces two				
_	line dressed and neat joints	C.ft.	0 6 0	105	40
5	Burnt stone slabs 6" thick 2 line dressed set in				•
	mortar	Sq.ft.	0 8 0	43	•
6	Cement pointing with cut lines	Sqr.	3 0 0	1.44	
7	Providing and fixing T. W. glazed shutters 12" thick			1	
	with ground glass frames 1/16" thick to the arch				
8	opening of verandah	Sq.ft.	1 8 0	56	
0	Dismantling Madras Terrace roof and removing flat tiles and carting to halla	au I	0 1 0	770	
9	Removing and carting the rafters to Stores	C.ft.	0 1 0	100	
10	Rolled steel girders including hoisting (Tata's tested)	R.ft.	$\begin{array}{cccc}0&1&0\\14&0&0\end{array}$	84	- 6
11	R.C.C. roof 6" thick covered over 1\frac{1}{2}" cement floor	OWE.	14 0 0'	12.85	
	and finished with red cement plaster with cut		ь .		
1000	lines and plastering to ceiling, etc.	Sqr.	25 0 0	0.56	-
12	Colour washing two coats	"	0 5 0	10.00	
13	Government Lac Factory green painting 3 coats	"	5 0 0	1.12	
		,,,	- 12		. A
	First Floor.		g 4		50
14	Removing wooden partition and carting to Stores	Sq.ft.	0 6 0	366	2
15	Removing wall tiles and scraping old plastering	Sqr.	2 0 0	$2 \cdot 04$	

No.	Particulars	Unit	Rate	Contents	Cost
			Re a r	5	Rs.
	m I will be a lighter with	1	Rs. a. p.	140	
16	Removing doors and semi circular fan lights with frame from masonry wall and carting to Stores	Sq.ft.	0 1 0	64	
1.77	Dismantling Madras terrace roof and removing	oq	5-1		
17	flooring tiles, carrying to ground floor and				
	carting	C.ft.	0 1 3	100	
18	Removing rafters and carting to Stores	R.ft.	0 1 0	10.00	
19	Rolled steel girders including hoisting	Cwt.	14 0 0	19.28	
20	R.C.C. roof 6" thick covered ever with 14" cement		•	-	
	concrete finish with cement plastering 1 thick	40			
	and cut to diagonal lines and smooth ceiling	Sqr.	25 0 0	0.56	
1	plaster at bottom Providing and fixing T. W. glazed shutters 11."	~q			
21	thick with ground glass panes 1/16" thick for		÷		
	the verandah of arch work	Sq.ft.	1 8 0	79	
22	Colour washing two coats	Sqr.	0 5 0	15.00	
23	Government Lac Factory green paint 3 coats	99 e'	5 0 0	3.18	
24	Removing cast iron railing and carting to Stores	D. fr	0.20	61	.)
	and repairs to masonry of verandah	R.ft.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	242	
25	Fixing wooden screen with necessary repairs	Sq.ft.	3 8 0	1.00] .
26	Chunam plastering		4 0 0	2.00	1
27	Varnishing two coats	" .			12
	Second Floor.				
	S 333,100				
28	Removing and stacking corrugated Zine sheet with			7.00	
	frame work and carting to Stores	Sqr.	0 1 0	1.02	
29	Removing asbestos ceiling with frame working and	G 1.	0 1 0	98	
	carting to Stores	Sq.ft.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	61	
30 ·	Removing Cast Iron railing of Verandah	R.ft.	0 2 0	, J2	
31	Dismantling parapet wall camping to ground floor	C.ft.	0 1 0	42	
00	and carting Removing doors from the Masonry wall and carting	O.L.		1	1
32	to Store	Sq.ft.	0 1 0	47	-[
3 3	Burnt brick in mortar	C.ft.	0 6 0	64	
34	Boxing girders with brick in cement mortar with			3.11	
	cement plastering wiring etc., complete	R.ft.	0 12 0	1114	,
35	Providing and fixing R.C.C. perforated ventilators	N 0	1 0 0	. 8	
	(ornamental)	Sq.ft.	1 0 0		. 3
36	Providing and fixing glass shutters 12" thick with	3 ""			
- 1	ground glass frames 1/16" thick for verandah	1	1 8 0	65	
	opening Providing and fixing Rolled Steel girder (Tata's	127			
37		Cwt.	14 0 0	11.89	
90	tested) B. S. slab of 6" thick one line dressed and fixed in				
38	mortar	Sq.ft.	0 8 0	17	
39	Cutting grooves in brick masonry wall for hollow			^2	
	brick roof 9" wide 12" deep	R.ft.	0 2 0	98	
40	Roofing with hollow bricks 4" of brick concrete				90
	and two courses of flat tiles top and bottom	Sqr.	85 :0 0	1.12	
	plastering		1.00		3
41	Parapet wall of 9", 4' high including chunam plaster	R.ft.	0 4 0	33	
4.0	Lime mortar plastering wall alround the girder	1			
-42	East	Sqr.	4 0 0		
43	White washing two coats	7,7	0 4		
44	Colour washing two coats	"	0 6 0		
45	Government Lac Factory green painting (3 coats)	,,,	500	1.30	4.1
46	Providing and fixing girders and other walls in		19		
,	connection with the lift sundry works during	L.S.	1		1
•	execution	3			1
	Opening terrace of first floor roof and extending	17		1	
•	the stair case.				
					1.
-47	Dismantling terrace of first floor carrying to ground			700	
¥.	floor and carting to halla (a mile lead)	U.16.		0 168	
	Removing rafters and carting to Stores	R.ft.	0.1	0 180	Α.

+ + +	9 90		7	
No.	Particulars	Unit	Rate	Contents Cost
			[
40	m 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. Water	Rs. a. p.	
49	Teakwood wrought and put up	C.ft.		24:61
50	Cutting and fixing old rafters	R.ft.	0 2 0	90
51	Roofing with Madras terrace complete	Sqr.	50 0 0	
52	Flooring with Marcillies Tiles set in cement and		100 0 0	1.00
53		77.4	100 0.0	1.00
-ยอ	Providing and fixing wooden stairs with wooden		100 A	* * * * *
	stringers, ceiling planks, raises and treads.			N.
	including varnishing white silicate painting as	4 . 1		
	per design existing	Sq.ft.	3 8 0	98.
54	Providing ornamental cast iron railings with wooden	. 1		
-	top nails and cast iron posts including varnish-			
	Top date and case non poses including varitism.			7
	ing and white silicate painting as per existing			
	_ оле	R.ft.	3 0 0	40
55	Varnishing and painting to existing stairs	L.S.		1.

B. R. GARUDACHAR, Executive Engineer.

BANGALORE DIVISION

Notification dated 24th January 1939.

 Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division. up to 2 P.M. on 20th February 1939, for restoring the breached Sannaphalli Chickkere Reg. No. 66

2. Tenders in the prescribed form obtainable on payment of Re. 0-4-0 per form from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for restoring the breached Sannanhall tank Reg. No. 66 of Magadi Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the Treasury the sum of Rs. 405 being the earnest money under '17a P.W.D. Deposits' or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 24th February 1939 at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form, for the due fulfilment of the contract and for the execution of all items of work in accordance with Bombay specifications (1931).

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally

granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days, between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs. 5 for each set.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a

percentage reduction on the estimate amount will be rejected.

- 10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.
- 11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made the tenders are liable to rejection.
- 12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted -at the foot of the same by the tenderer.
 - 13. No reference should be made to the Public Works Department schedule of rates.
- 14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.